





LOC H	DIST -	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			3	REMOVE TRIANGLE	02SEP2016	VL	SS
			A	DRAWING RELEASED	24APR2017	VL	SS
			A1	REVISED PER ECO-17-007644	26MAY2017	VL	SS
			A2	REVISED PER ECO-17-013857	20SEP2017	VL	SS



SCALE 2:1


NOTES:

- 1 MATERIAL: 0.20mm CRS. 1,25 - 3.00µm MATTE TIN FINISH.
- 2 MATERIAL: 0.20mm AL. 1.20 - 2.00µm MATTE TIN FINISH OVER NICKEL FLASH.
- 3 STAMPING BURR OUTSIDE OF PART, MAX 0.05mm.
- 4 PARTS TO BE FREE OF OIL AND CONTAMINENTS.
- 5 PART IS RoHS COMPLIANT PER TE CONNECTIVITY STANDARD TEC-138-702.
- 6 REFER TO 3D MODEL FOR UNSPECIFIED DIMENSIONS.
- 7 PACKAGING: TAPE AND REEL



ALL SURFACES

7	2	2118710-4
7	1	2118710-2
PACKAGING	MATERIAL	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009.		DWN S. SU 05APR2016	 TE Connectivity		
DIMENSIONS: mm		CHK V. LAC 24APR2017			
		APVD V. LAC 24APR2017	NAME 1 PIECE STANDARD SHIELD		
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.2 1 PLC ±0.15 2 PLC ±0.10 3 PLC ± 4 PLC ± ANGLES ±2°		PRODUCT SPEC 108-115119			
MATERIAL 1 -		APPLICATION SPEC 114-115013	SIZE A3		
FINISH 1 -		WEIGHT -			
CUSTOMER DRAWING			CAGE CODE 00779	DRAWING NO C-2118710	RESTRICTED TO -
			SCALE 3:1	SHEET 1	OF 3
			REV A2		


4

3

2

1

LOC H	DIST -	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-



NOTES:

8. STENCIL THICKNESS: 0.10mm MIN.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL -

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±0.2

1 PLC ±0.15

2 PLC ±0.10

3 PLC ±

4 PLC ±

ANGLES ±2°

FINISH -

DWN S. SU 05APR2016

CHK V. LAC 24APR2017

APVD V. LAC 24APR2017

PRODUCT SPEC 108-115119

APPLICATION SPEC 114-115013

WEIGHT -

CUSTOMER DRAWING

TE Connectivity

NAME 1 PIECE STANDARD SHIELD

SIZE A3



CAGE CODE 00779

DRAWING NO C-2118710


RESTRICTED TO -

SCALE 4:1 SHEET 2 OF 3 REV A2



LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
H	-		-	SEE SHEET 1	-	-



USER DIRECTION
OF UNREELING



- NOTES:
- 9. REEL SIZE: O.D. 380mm, I.D. 180mm
 - 10. QTY PER REEL: 216PCS

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. SU	05APR2016	 TE Connectivity							
DIMENSIONS: mm		CHK V. LAC	24APR2017	NAME 1 PIECE STANDARD SHIELD							
		APVD V. LAC	24APR2017								
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC 108-115119							
		0 PLC ±0.2 1 PLC ±0.15 2 PLC ±0.10 3 PLC ± 4 PLC ± ANGLES ±2°		APPLICATION SPEC 114-115013							
		MATERIAL -		FINISH -							
		WEIGHT -		SIZE A3		CAGE CODE 00779		DRAWING NO C-2118710		RESTRICTED TO -	
CUSTOMER DRAWING				SCALE 3:1		SHEET 3 OF 3		REV A2			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2118710-2](#)