







2292865-1
ASSEMBLED ISOMETRIC VIEW SHOWN




2292865-1
EXPLODED ISOMETRIC VIEW SHOWN




2292865-2
ASSEMBLED ISOMETRIC VIEW SHOWN



2292865-2
EXPLODED ISOMETRIC VIEW SHOWN





2292865-3
ASSEMBLED ISOMETRIC VIEW SHOWN



2292865-3
EXPLODED ISOMETRIC VIEW SHOWN



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	RELEASED PER ECO-15-010501	17JUL2015	JM	RB
	A1	REV PER ECO-16-008350	02JUN2016	JM	RB
	A2	REV PER ECO-16-013256	08SEP2016	JM	RB

- 1 MATERIAL: NYLON MOLDING COMPOUND, BLACK, PA66/6.
- 2 BACKSHELL DESIGNED SUCH THAT TWO HALVES ATTACH TO ONE ANOTHER AND CLAMP AROUND THE CONNECTOR COVER.
- 3 DIMENSIONS TO BE MEASURED WHEN BACKSHELLS ASSEMBLED.
- 4 PRODUCT WEIGHTS:
2292865-1: 7.56g ASSEMBLED
2292865-2: 9.40g ASSEMBLED
2292865-3: 10.72g ASSEMBLED
- 5 4mm WIDE SLOTS FOR TIE WRAP TO SECURE HARNESS WIRES (-1 ONLY).
- 6 HEAT SHRINK TUBING RETENTION FEATURE (-1 ONLY).
7. INSTRUCTION SHEET: 408-151043.
8. CONDUIT PROFILE: NORMAL ONLY.



2292865-1
ASSEMBLED VIEW SHOWN

DIMENSIONS SHOWN TYPICAL FOR ALL PART NUMBERS
EXCEPT AS NOTED




2292865-2
ASSEMBLED VIEW SHOWN

DIMENSIONS SHOWN TYPICAL FOR -2 AND -3 ONLY


776438-X 776539-X	NC16	NW13	2292865-3
	NC20	NW17	2292865-2
	SMOOTH	SMOOTH	2292865-1
FITS ON CAP ASSY	CORREGATE NC	CORREGATE NW	PART NUMBER
	CONDUIT SIZE		

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN J MCNEAL 22JUN2015	TE Connectivity			
DIMENSIONS: mm[INCHES]				CHK R BALTER 22JUN2015				
TOLERANCES UNLESS OTHERWISE SPECIFIED:				APVD R BALTER 22JUN2015	NAME BACKSHELL KIT, 12 POSITION, CAP ASSY AMPSEAL 16			
0 PLC ±" 1 PLC ±" 2 PLC ±" 3 PLC ±" 4 PLC ±" ANGLES ±" FINISH ±"				PRODUCT SPEC 108-151043	SIZE A1			
MATERIAL - - -				APPLICATION SPEC -	CAGE CODE 00779			
WEIGHT 4				DRAWING NO 2292865	RESTRICTED TO -			
CUSTOMER DRAWING				SCALE 2:1	SHEET 1 OF 2			
					REV A2			


REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-



2292865-1
WITH CAP ASSEMBLY 2292865-2
EXPLODED ISOMETRIC VIEW SHOWN



2292865-2
WITH CAP ASSEMBLY 2292865-3
EXPLODED ISOMETRIC VIEW SHOWN



2292865-3
WITH CAP ASSEMBLY 2292865-4
EXPLODED ISOMETRIC VIEW SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
J. MCNEAL
22JUN2015

CHK
R. BALTER
22JUN2015

APVD
R. BALTER
22JUN2015

DIMENSIONS:
mm[INCHES]

0 PLC ±"

1 PLC ±"

2 PLC ±"

3 PLC ±"

4 PLC ±"

ANGLES ±"

FINISH -

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±"

1 PLC ±"

2 PLC ±"

3 PLC ±"

4 PLC ±"

ANGLES ±"

FINISH -

MATERIAL
-
-

CUSTOMER DRAWING

SCALE 2:1

SHEET 2 OF 2

REV A2

NAME
BACKSHELL KIT, 12 POSITION, CAP ASSY
AMPSEAL 16

SIZE
A1

CAGE CODE
100779

DRAWING NO.
C=2292865

RESTRICTED TO
-

TE Connectivity

4805 (3/13)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2292865-3](#)