


NOTES:

A triangle with the number 1 inside.

3D perspective view of the 4317 integrated circuit package, showing the top surface with the part number '4317' and the pin configuration.

2- -8



RECOMMENDED PCB HOLE PATTERN FOR THROUGH HOLE WAVE



TE Connectivity

NAME AMPMODU 2mm, BtB RECEPTACLE,
DUAL ROW HORIZONTAL, TH/THR

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C=2307712	-

11

WEIGHT

CUSTOMER DRAWING

07712

SCALE

RESTRICTED TO

—

REV A2

4

3

2

I

© 2021 TE Connectivity. All Rights Reserved.

MATING SIDE PLATING (FINISH)	“L”SOLDER TAIL LENGTH	BTB RECEPTACLE BASE NUMBERS	
		TAPE & REEL PKG W/O CAP	TUBE PKG W/O CAP
TIN △ 2	2.1	2307712	2314915
	2.8	2314923	2307713
	3.4	A/R	2307714
GOLD FLASH 0.1µm △ 3	2.1	2307715	2314916
	2.8	2314924	2307716
	3.4	A/R	2307717
GOLD 0.38µm △ 4	2.1	2307718	2314917
	2.8	2314925	2307719
	3.4	A/R	2307720
GOLD 0.76µm △ 5	2.1	2307721	2314918
	2.8	2314926	2307722
	3.4	A/R	2307723

* A/R- AVAILABLE ON REQUEST

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

48	50	50	5- -0
46	48	48	4- -8
44	46	46	4- -6
42	44	44	4- -4
40	42	42	4- -2
38	40	40	4- -0
36	38	38	3- -8
34	36	36	3- -6
32	34	34	3- -4
30	32	32	3- -2
28	30	30	3- -0
26	28	28	2- -8
24	26	26	2- -6
22	24	24	2- -4
20	22	22	2- -2
18	20	20	2- -0
16	18	18	1- -8
14	16	16	1- -6
12	14	14	1- -4
10	12	12	1- -2
8	10	10	1- -0
6	8	8	-8
4	6	6	-6
2	4	4	-4
DIM “F”	DIM “E”	N/6	FG PN

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±0.2
2 PLC ±0.1
3 PLC ±
4 PLC ±
ANGLES ±°
FINISH

SEE NOTES
-

DWN 28NOV2017
CHK SOURAV DAS
SHARATH S
APVD 22NOV2018
PRASHANTH S

PRODUCT SPEC
108-64040

APPLICATION SPEC
114-32186

WEIGHT
-

CUSTOMER DRAWING

TE Connectivity

NAME
AMPMODU 2mm, BtB RECEPTACLE,
DUAL ROW HORIZONTAL, TH/THR
-

SIZE
A2

CAGE CODE
00779

DRAWING NO
C=2307712

RESTRICTED TO
-

SCALE
5:1

SHEET
2

OF
2

REV
A2

1471-9 (3/13)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-2314915-4](#)