



LOC	DIST	REVISIONS						
		P	LTR	DESCRIPTION	DATE	DWN	APVD	
GP	00		D1	REVISED PER ECO-11-004835	13APR2011	RK	HMR	
			E	REVISED PER ECO-14-000886	20FEB2014	JW	SH	
			E1	REVISED PER ECO-14-010419	11JUL2014	JW	SH	
			F	REVISED PER ECO-15-013594	25SEP2015	JW	SH	






SCALE 3:1

- 1 MATERIAL: COPPER ALLOY.
- 2 TIN PLATING PER ASTM B 545, 1.25µm MINIMUM THICKNESS, ALL OVER NICKEL FLASH PER QQ-N-290. NON-PLATED EDGES ARE PERMISSIBLE.
- 3 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 4 PADS AND VIAS CHASSIS GROUND.
- 5 REFERENCE APPLICATION SPEC 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESSES.
- 6 COMPANY LOGO IN APPROXIMATE AREA SHOWN
- 7 DATE CODE AND PART NUMBER IN APPROXIMATE AREA SHOWN
- 8 MATERIAL: NICKEL SILVER ALLOY(NO PLATING)



1761015-1&-3
SCALE 3:1



SECTION A-A

SUPERSEDED BY:

1761015-3

NO	8	1X6 CAGE ASSEMBLY	1761015-3
		1X6 CAGE ASSEMBLY	1761015-1
FINISH	MATERIAL	DESCRIPTION	PART NO
THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN W. VAN SCOY 11FEB2004	
DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK M. PHILLIPS 11FEB2004	
		APVD W. PHILLIPS 11FEB2004	
mm	0 PLC ±	PRODUCT SPEC	
	1 PLC ±	108-1950	
	2 PLC ±0.10	APPLICATION SPEC	
	3 PLC ±	114-13120	
MATERIAL	4 PLC ±	WEIGHT	
	ANGLES ±	Customer Drawing	
1	2	Customer Drawing	
		Customer Drawing	

TE Connectivity

ASSEMBLY, CAGE, PRESS FIT, 1X6, SFP

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A100779

C=1761015

-

SCALE

4:1

SHEET

1


OF

4

REV

F

LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

W. VAN SCOYK

11FEB2004

CHKD

M. PHILLIPS

11FEB2004

APVD

M. PHILLIPS

11FEB2004

DIMENSIONS:

mm

0 PLC

±

1 PLC

±

2 PLC

±

±0.10

3 PLC

±

4 PLC

±

ANGLES

±

±2°

FINISH

TOLERANCES UNLESS OTHERWISE SPECIFIED:

PRODUCT SPEC

108-1950

APPLICATION SPEC

114-13120

WEIGHT

-

MATERIAL

-

Customer Drawing

TE

TE Connectivity

ASSEMBLY,
CAGE, PRESS FIT,
1X6, SFP

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A100779

C=1761015

-

SCALE

4:1

SHEET

2


OF

4

REV

F



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. VAN SCOY		1 FEB 2004	
		CHG M. PHILLIPS		1 FEB 2004	
		APPR M. PHILLIPS		1 FEB 2004	
DIMENSIONS:		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		NAME	
mm					
		0 P/LC ±.		 TE Connectivity ASSEMBLY, CAGE, PRESS FIT, IX6, SFP	
		1 P/LC ±.10			
		2 P/LC ±.			
		4 P/LC ±.			
		ANGLES ±.0°			
FINISH		PRODUCT SPEC		SIZE	
		108-1950		CAGE CODE	
		APPLICATION SPEC		DRAWING NO	
		114-13120		A100779	
MATERIAL		WEIGHT		RESTRICTED TO	
				1761015	
		Customer Drawing		SCALE 4:1 SHEET 3 OF 4 REV F	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1761015-3](#)