



+ CONNECTORS

AUTOMOTIVE SEALS & CAVITY PLUGS



✓ Active

TE CONNECTIVITY (TE)
BLINDSTOPFEN 1,5SYS
AMP | Timer Connector System

828906-2
TE Internal Number: 828906-2

- EU RoHS Compliant
- EU ELV Compliant
- Seal Type Cavity Blanking Plug
- Cavity Diameter 5 mm [.197 in]
- Material Silicone
- Resistance to Hydrocarbons POOR
- Shore A Hardness 50

↓ **PRODUCT DRAWING**
German

↓ **3D PDF**

DOCUMENTATION

Product Drawings

Blindstopfen

PDF (TIFF AVAILABLE)

German

CAD Files

3D PDF

PDF

3D

Customer View Model

2D_DXF.ZIP

English

Customer View Model

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

Product Specifications

Product Specification

10 & 29 Pos. Door To Body

TIF

English

10 & 29 Pos. Door To Body

PDF

English

55 POS. J.P.T. WATER PROOF CONNECTOR

PDF

English

55 POS. J.P.T. WATER PROOF CONNECTOR

TIF

English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Seal Type Cavity Blanking Plug

Body Features

Material Silicone

Color Brown

Dimensions

Cavity Diameter 5 mm [.197 in]

Usage Conditions

Operating Temperature Range -40 – 130 °C [-40 – 266 °F]

Industry Standards

UL Flammability Rating None

Other

Resistance to Hydrocarbons POOR

Shore A Hardness 50

Lubricant Content Yes

PRODUCT COMPLIANCE



Statement of Compliance

Statement of Compliance

PDF