



I.D. HOLES ON THESE TWO BEAMS ON SILVER SHIELD

I-2103247-X
(SILVER SHIELD)



3 Ø 8.70 MAX
FASTENER HEAD
DIAMETER FOR
MATING PLUG
CLEARANCE
(4 PLACES)



(9.65)



2

(29.90)

2

(20.70)

0.8 MAX WASHER/FASTENER HEIGHT
OUTSIDE OF 8.7MM MAX FASTENER DIAMETER
FOR MATING PLUG CLEARANCE




1 IDENTIFICATION MARKING ON THIS SURFACE
CONTAINS ASSEMBLY P/N AND DATE CODE (YYDDD).
TEXT ORIENTATION, SIZE, AND LOCATION CAN VARY AS LONG
AS TEXT IS ON SURFACE SHOWN AND READABLE.

2 SHIELD SEAM CAN BE POSITIONED AS SHOWN OR ROTATED
180° FROM POSITION SHOWN.



3 THESE DIMENSIONS DEFINE FASTENER SIZE LIMITS FOR
PROPER COMPONENT FUNCTIONALITY. END USER MUST ENSURE
FASTENER AND/OR WASHER DIAMETER IS 8.6 MM MIN FOR
PROPER RETENTION. THESE ARE NOT PRODUCT FEATURES -
NO INSPECTION REQUIRED FOR THESE ITEMS.

4 SURFACE FINISH APPLIES IN THIS AREA

5 NOTE DELETED




2103247-X
(TIN SHIELD)



| SILVER | F | I-2103247-6 |
|--------|---|-------------|
| SILVER | E | I-2103247-5 |
| SILVER | D | I-2103247-4 |
| SILVER | B | I-2103247-2 |
| SILVER | A | I-2103247-1 |
| TIN | F | 2103247-6 |
| TIN | E | 2103247-5 |
| TIN | D | 2103247-4 |
| TIN | B | 2103247-2 |
| TIN | A | 2103247-1 |

| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DNW | 20MAR2012 | 20MAR2012 | TE Connectivity |
|--|--------|--------|-----------|-----------|-------------------------------|
| DIMENSIONS: | mm | 0.0000 | 0.0000 | 0.0000 | NAME |
| | | 0.0000 | 0.0000 | 0.0000 | SPLIT HEADER ASSY, HVA 280 2P |
| | | 0.0000 | 0.0000 | 0.0000 | W/HVIL - PLASTIC |
| | | 0.0000 | 0.0000 | 0.0000 | CHART DRAWING |
| APVD | | | | | SIZE |
| A DECHAZAL | | | | | CAGE CODE |
| 20MAR2012 | | | | | DRAWING NO |
| | | | | | A100779C=2103247 |
| PRODUCT SPEC | | | | | RESTRICTED TO |
| | | | | | |
| APPLICATION SPEC | | | | | |
| MATERIAL | FINISH | WEIGHT | | | CUSTOMER DRAWING |
| | | | | | SCALE 2:1 SHEET 1 OF 2 REV A2 |

| P | LTR | DESCRIPTION | DATE | DNW | APVD |
|---|-----|-------------|------|-----|------|
| - | | SEE SHEET 1 | - | - | - |
| | | | | | |
| | | | | | |
| | | | | | |



| | | | | |
|--|-------|--|-----------|------------------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DNW | 20MAR2012 | TE Connectivity |
| DIMENSIONS: | mm | TOLERANCES UNLESS OTHERWISE SPECIFIED: | | |
| 0 PLC | ±0.50 | 1 PLC | ±0.50 | CH A DECHAZAL 20MAR2012 |
| 2 PLC | ±0.15 | 3 PLC | ±0.05 | APVD A DECHAZAL 20MAR2012 |
| 4 PLC | ±0.05 | PRODUCT SPEC | | NAME SPLIT HEADER ASSY, HVA 280 2P |
| MATERIAL: | | APPLICATION SPEC | | W/HVIL - PLASTIC |
| FINISH: | | CHART DRAWING | | CHART DRAWING |
| WEIGHT: | | SIZE | | SIZE |
| CUSTOMER DRAWING | | CAGE CODE | | DRAWING NO |
| A100779 | | C=2103247 | | RESTRICTED TO |
| REV A2 | | SCALE 2:1 | | 2 OF 2 |

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-2103247-2](#)