





P	LTR	DESCRIPTION	DATE	DWN	APVD
B2		REVISED PER ECN-21-129868	23NOV2021	DRK	NRS
B3		REVISED PER ECR-21-124520	06JAN2022	NS	CB

NOTES:

- 1 FINISH: PLATE 0.000100-0.000200 THK TIN IN LOCALIZED TIN PLATE AREA, ALL OVER 0.000040-0.000080 THK NICKEL.
- 2. CONTACT WILL BE LUBED WITH LUBRICANT PER TE CONNECTIVITY P/N 22014-4.
- 3. WIRE RANGE: 20-18 AWG WITH ISLUATION DIAMETERS OF 0.050-0.107 INCHES.
- 4 PLATE 0.000030 MIN THK SELECT GOLD IN LOCALIZED PLATE AREA. TIP PLATING AREA PLATE TO 0.000015 MIN THK.



SECTION X-X

SECTION Y-Y

1	1924463-3
1 4	1924463-1
FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DL DRUMMOND 27AUG2007	TE Connectivity	
DIMENSIONS: mm		CHK MP TRULL 27AUG2007		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD MP TRULL 27AUG2007	NAME PIN CONTACT	
0 PLC ±	1 PLC ±	PRODUCT SPEC	SIZE	CAGE CODE
2 PLC ±.02	3 PLC ±.005	APPLICATION SPEC	A2	00779
4 PLC ±	ANGLES ±	FINISH	DRAWING NO	RESTRICTED TO
MATERIAL 0.014THK CU ALLOY		WEIGHT	1924463	-
		CUSTOMER DRAWING	SCALE 10:1	SHEET 1 OF 1
				REV B3

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1924463-3](#)