

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

2005

© COPYRIGHT 2005

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

| P | LTR | DESCRIPTION                 | DATE      | DWN | APVD |
|---|-----|-----------------------------|-----------|-----|------|
|   | A   | INITIAL                     | 16MAR2018 | F.Z | R.B  |
|   | B   | LOGO CHANGE; RESIN MARK ADD | 08aug2018 | F.Z | R.B  |
|   |     |                             |           |     |      |
|   |     |                             |           |     |      |

AS SHOWN

20POS(X-KEY) : 1-2333149-0

2Xn=A

2

3.3

CAVITY MARK  
(ALPHABET:CAPITAL LETTER)

01 6 8 3 2 1

CIRCUIT NO.

D

KEYING : X

C

B

A

LOGO MARK

SERIES CODE

12.45±0.4

1.05

11.3

8.6

9.4

9

3.3

1.6

2

20

18

10

10

POS

X

n

A

B

C

D

PART NO

1

2

3

1

2

3

4

PLC

PLC

PLC

PLC

PLC

ANGLES

FINISH

1

09-Aug-18

09-Aug-18

09-Aug-18

108-78268,78298

114-5377

Customer Drawing

TE Connectivity

DYNAMIC D1100D 2.0mm PITCH

REC HSG

10-20 POS

A3

00779

C-2333149

4:1

1

3

B

THIS DRAWING IS UNPUBLISHED.



RELEASED FOR PUBLICATION

2005


© COPYRIGHT 2005

ALL RIGHTS RESERVED.


| LOC | DIST | REVISIONS |     |             |      |      |
|-----|------|-----------|-----|-------------|------|------|
|     |      | P         | LTR | DESCRIPTION | DATE | APVD |
|     |      | -         |     | SEE SHEET 1 | -    | -    |
|     |      |           |     |             |      |      |
|     |      |           |     |             |      |      |




SERIES CODE






KEYING MARK




ROW ID




10POS(X-KEY)  
1-2333149-5




SERIES CODE



KEYING MARK



12.85  
ROW ID




10POS(X-KEY)  
9-2333149-5

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

- 0 PLC  $\pm$
- 1 PLC  $\pm$
- 2 PLC  $\pm$
- 3 PLC  $\pm$
- 4 PLC  $\pm$
- ANGLES  $\pm$
- FINISH  $\pm$

MATERIAL

|                  |   |
|------------------|---|
| DWN              | - |
| CHK              | - |
| APVD             | - |
| PRODUCT SPEC     | - |
| APPLICATION SPEC | - |
| WEIGHT           | - |

Customer Drawing



TE Connectivity

NAME  
DYNAMIC D1100D 2.0mm PITCH  
REC HSG  
10-20 POS

| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
|------|-----------|------------|---------------|
| A3   | 00779     | C-2333149  | -             |

SCALE 4:1 SHEET 2 OF 3 REV B

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

2005

© COPYRIGHT 2005

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1

AS SHOWN

18POS(X-KEY) : 1-2333149-9

CAVITY MARK  
(ALPHABET:CAPITAL LETTER)



CIRCUIT NO.

SERIES CODE

LOGO MARK

KEYING MARK


ROW ID



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS  
OTHERWISE SPECIFIED:

0 PLC ±  
1 PLC ±  
2 PLC ±  
3 PLC ±  
4 PLC ±  
ANGLES ±  
FINISH -

MATERIAL

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

Customer Drawing



TE Connectivity

NAME

DYNAMIC D1100D 2.0mm PITCH  
REC HSG  
10-20 POS

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C-2333149

SCALE

4:1

SHEET

3

OF

3

REV

B