

18 OBSOLETED PART

SCALE	-	SHEET	1	OF	7	REV	AB2
-------	---	-------	---	----	---	-----	-----

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT 2011

ALL RIGHTS RESERVED.

NUMERO DI VIE	CONFIGURAZIONE (Vista connettore dall'alto)①	TE PART NUMBER ASSY CONN.		VERSIONE PEZZI IN VASSOIO	VERSIONE PEZZI SCIOLTI	POSIZIONE POLARIZ. (LATO POSTERIORE)	POSIZIONE AGGANCIO (LATO ANTERIORE)	POSIZIONE CODIFICA SPECIALE (LATO ANTERIORE)	L+0.2 L-0.3 (mm) 8	NOTE MARCHIATURA CON BANDA COLORATA	
NO OF POS	CONFIGURATION (View from top side) ①	TRAY PACKAGING VERSION	PART REV	LOOSE PIECES PACKAGING VERSION	PART REV	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL COD. POSITION (FRONT SIDE)	L+0.2 L-0.3 (mm)	NOTE STRIP COLOUR	POSSIBLE RAST 5 POLARIZ. 16
2		4-282002-1	AA	-	-	2S 5	1-2	-	9.9	NERO BLACK	02-C 7
2		1-282002-1	V	2-282002-1	V	2S 5	1-2	-	9.9	NERO BLACK	02-C
2		1-282002-2	V	2-282002-2	V	1S 2D	1-2	-	9.9	GRIGIO GREY	02-B 02-E 02-F
2		1-282002-3	V	2-282002-3	V	2D	1-2	-	9.9	ROSSO RED	02-L
2		1-282002-4	V	2-282002-4	V	1D 5 2S 5	1-2	-	9.9	BLU BLUE	02-A
2		1-282002-5	V	2-282002-5	V	1D	1-2	-	9.9	NERO BLACK	02-Q
2		3-282002-5	AA	-	-	1D	1-2	-	9.9	NERO BLACK	02-Q 7
2		1-282002-6	V	2-282002-6	V	-	1-2	-	9.9	NERO BLACK	-
2		1-282002-7	V	2-282002-7	V	-	1-2	-	9.9	-	-
2		1-282002-8	V	2-282002-8	V	1S 2D	1-2	-	9.9	VERDE GREEN	02-B 02-E 02-F 7
2		2-282002-9	I	-	-	1D 2D	1-2	-	9.9	-	-
2		3-282002-0	I	-	-	1S 1D	1-2	-	9.9	-	-
2		3-282002-4	AA	-	-	1D 5 2S 5	1-2	-	9.9	-	02-A 7
2		5-282002-2	A	-	-	1S 2D	1-2	-	9.9	YELLOW	02-B 02-E 02-F
2		6-282002-0	AA	-	-	1S 5 2S 5	1-2	-	9.9	RED	- 7

LOC

DIST

REVISIONS

-

-

P

LTR

DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1

VISTE SOLO PER RIFERIMENTO

VIEWS ONLY FOR REFERENCE

LEGENDA

(DESCRIPTION)

①

AMP MONO-SHAPE, TAB CONNECTORS
(ESEMPIO DI CONFIGURAZIONE)
(EXAMPLE OF CONFIGURATION)

1

2

3

4

5

6

7

8

LATO BANDA COLORATA
(COLOR STRIP SIDE)

AGGANCIO
(LOCKING LANCE)

CODIFICA
(CODIFICATION)

8

7

6

5

4

3

2

1

POLARIZZAZIONE
(POLARIZATION)

POLARIZZAZIONE
(POLARIZATION)

1

2

3

4

5

6

7

8

AGGANCIO
(LOCKING LANCE)

CODIFICA
(CODIFICATION)

CODIFICA SPECIALE
(SPECIAL CODIFICATION)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL

SEE TABLE

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±

2 PLC ±

3 PLC ±

4 PLC ±

ANGLES ±

FINISH ±

SEE TABLE

DWN
G. ENDRIZZI
23JUL1995

CHK
G. TURCO
23JUL1995

APVD
G. TURCO
23JUL1995

PRODUCT SPEC
108-20065-1, 108-20065-2

APPLICATION SPEC
114-20016, 114-20016-1

WEIGHT
-

Customer Drawing

TE Connectivity

MONO-SHAPE MK1
TAB CONNECTORS 2-10 POS.

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A260779

C-282002

SCALE -

SHEET 2 OF 7

REV AB2

1471-9 (3/11)

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT 2011

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1

VISTE SOLO PER RIFERIMENTO

VIEWS ONLY FOR REFERENCE

LEGENDA

(DESCRIPTION)

AMP MONO-SHAPE, TAB CONNECTORS

(ESEMPIO DI CONFIGURAZIONE)

(EXAMPLE OF CONFIGURATION)

1

2

3

4

5

6

7

8

AGGANCIO

(LOCKING LANCE)

CODIFICA

(CODIFICATION)

POLARIZZAZIONE

(POLARIZATION)

POLARIZZAZIONE

(POLARIZATION)

AGGANCIO

(LOCKING LANCE)

CODIFICA

(CODIFICATION)

CODIFICA SPECIALE

(SPECIAL CODIFICATION)

TE PART NUMBER ASSY CONN.		TE PART NUMBER ASSY CONN.		TE PART NUMBER ASSY CONN.		TE PART NUMBER ASSY CONN.		TE PART NUMBER ASSY CONN.		TE PART NUMBER ASSY CONN.	
NUMERO DI VIE	CONFIGURAZIONE (Vista connettore dall'alto)①	VERSIONE PEZZI IN VASSOIO	VERSIONE PEZZI SCIOLTI	VERSIONE PEZZI IN VASSOIO	VERSIONE PEZZI SCIOLTI	POSIZIONE POLARIZ. (LATO POSTERIORE)	POSIZIONE AGGANCIO (LATO ANTERIORE)	POSIZIONE CODIFICA SPECIALE (LATO ANTERIORE)	L+0.2 L-0.3 (mm) ⑧	NOTE MARCHIATURA CON BANDA COLORATA	
NO OF POS	CONFIGURATION (View from top side) ①	TRAY PACKAGING VERSION	PART REV	LOOSE PIECES PACKAGING VERSION	PART REV	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL COD. POSITION (FRONT SIDE)	L+0.2 L-0.3 (mm)	NOTE STRIP COLOUR	POSSIBLE RAST 5 POLARIZ. ⑩
3		1-282003-1	V	2-282003-1	V	1D	1-2	-	14.9	ARANCIO ORANGE	03-A 03-I
3		4-282003-1	AA	-	-	1D ⑤	1-2	-	14.9	ARANCIO ORANGE	03-A 03-I ⑦
3		1-282003-2	V	2-282003-2	V	2D 3D	2-3	-	14.9	BLU BLUE	03-B
3		1-282003-3	V	2-282003-3	V	1S 3D	1-2	-	14.9	VERDE GREEN	03-F
3		1-282003-4	V	2-282003-4	V	2D 3D	2-3	-	14.9	ROSSO RED	03-B
3		1-282003-5	V	2-282003-5	V	2D 3D	2-3	-	14.9	GRIGIO GREY	03-B
3		1-282003-6	V	2-282003-6	V	-	1-2	-	14.9	VIOLA VIOLET	-
3		1-282003-7	V	-	-	2D 3D	2-3	-	14.9	NERO BLACK	03-B
3		3-282003-3	I	-	-	1S 1D	1-2	-	14.9	-	-
3		3-282003-4	I	-	-	1D - 2S 2D - 3S	1-2	-	14.9	-	-
3		3-282003-5	I	-	-	1S 3D	2-3	-	14.9	-	-
3		3-282003-6	AA	-	-	1S - 1D 2S - 2D	1-2	-	14.9	-	-
3		3-282003-7	AB	-	-	1S	1-2	-	14.9	-	-
3		0-282233-2	V	2-282233-2	V	1S ⑤	1-2	-	14.9	-	03-D ⑩
3		1-284396-1	Z	-	-	2S	2-3	-	14.9	NERO BLACK	-

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

MATERIAL

SEE TABLE

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±

0.3

FINISH

SEE TABLE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN G. ENDRIZZI 23JUL1995
CHK G. TURCO 23JUL1995
APVD G. TURCO 23JUL1995
PRODUCT SPEC 108-20065-1, 108-20065-2
APPLICATION SPEC 114-20016, 114-20016-1
WEIGHT -

Customer Drawing

SCALE -

SHEET 3 OF 7

REV AB2

TE Connectivity

MONO-SHAPE MK1
TAB CONNECTORS 2-10 POS.

SIZE A260779
CAGE CODE C-282002
DRAWING NO -
RESTRICTED TO -

1471-9 (3/11)

THIS DRAWING IS UNPUBLISHED.										RELEASED FOR PUBLICATION										LOC	DIST	REVISIONS							
© COPYRIGHT 2011										ALL RIGHTS RESERVED.										-	-	P	LTR	DESCRIPTION			DATE	DWN	APVD
																								SEE SHEET 1					

NUMERO DI VIE	CONFIGURAZIONE (Vista connettore dall'alto) ①	TE PART NUMBER ASSY CONN.				POSIZIONE POLARIZ. (LATO POSTERIORE)	POSIZIONE AGGANCIO (LATO ANTERIORE)	POSIZIONE CODIFICA SPECIALE (LATO ANTERIORE)	L+0.2 L-0.3 (mm) ⑧	NOTE MARCHIATURA CON BANDA COLORATA	
		VERSIONE PEZZI IN VASSOIO	VERSIONE PEZZI SCIOLTI	TRAY PACKAGING VERSION	PART REV						
4		1-282004-1	V	2-282004-1	V	1D ⑤	1-2 3-4	2D	19.9	GRIGIO GREY	04-A
4		1-282004-2	V	2-282004-2	V	3D ⑤	2-3	-	19.9	NERO BLACK	04-D
4		1-282004-3	V	2-282004-3	V	1D ⑤	1-2 3-4	2D	19.9	ROSSO RED	04-A
4		1-282004-4	S	-	-	3D 4D	1-2 3-4	-	19.9	BLU BLUE	-
4		3-282004-4	AA	-	-	1S 4D	1-2 3-4	-	19.9	-	04-A
4	④	4-282004-4	I	-	-	1S-1D-2S-2D 3S-3D-4S-4D AS-BD-CS-DD	1-2 3-4	-	19.9	-	-
5		1-282005-1	V	2-282005-1	V	4D ⑤	4-5	-	24.9	ROSSO RED	-
5		1-284545-1	Z	-	-	2S ⑤	4-5	-	24.9	ROSSO RED	-
5		1-284545-2	A	-	-	1S 5D	- 3-4	3D	24.9	-	-
5		1-284545-3	A	-	-	1S 5D	1-2 3-4	-	24.9	BLU BLUE	-
5		1-293003-5	Z	-	-	-	4-5	-	24.9	NERO BLACK	-
6		1-282006-2	V	2-282006-2	V	2S 5D	2-3	-	29.9	VIOLA VIOLET	-
6		1-282006-3	V	2-282006-3	V	2S - 3D 4D - 5D	4-5	-	29.9	-	-
6		2-282006-4	V	-	-	3D 5D	-	5S	29.9	NERO BLACK	-
6		1-284745-1	Z	-	-	6D ⑤	4-5	-	29.9	ROSSO RED	-
6		1-284745-2	I	-	-	6D ⑤	-	4D	29.9	RED	-
6		1-284745-3	AA	-	-	5D ⑤	3-4	-	29.9	VIOLET	-
6		1-284745-4	AA	-	-	1S ⑤	2-3	-	29.9	ORANGE	-
7		1-282007-1	V	2-282007-1	V	1D ⑤	1-2 5-6	3S	34.9	-	-
7		2-282007-2	V	-	-	4D 6D	-	6S	34.9	VIOLA VIOLET	-
7	④	2-282007-3	I	-	-	1S - 2S - 2D 3S - 3D - 4D 5S - 6S - 6D 7S - 7D	1-2 5-6	-	34.9	-	-
7		3-282007-2	AA	-	-	-	1-2 5-6	5S	34.9	-	-
7		1-284397-1	Z	-	-	2D	1-2 5-6	-	34.9	NERO BLACK	-
7		1-293004-7	Z	-	-	-	1-2 5-6	-	34.9	ROSSO RED	-
7	④	2-293004-7	I	-	-	-	1-2 5-6	-	34.9	GRIGIO GREY	-
8		0-284085-1	V	2-284085-1	V	2D - 6S 4D - 6D	-	4S	39.9	-	-
8		0-284085-2	V	2-284085-2	V	-	2-3	-	39.9	VIOLA VIOLET	-

VISTE SOLO PER RIFERIMENTO
VIEWS ONLY FOR REFERENCE

LEGENDA
(DESCRIPTION)

① AMP MONO-SHAPE, TAB CONNECTORS
(ESEMPIO DI CONFIGURAZIONE)
(EXAMPLE OF CONFIGURATION)


THIS DRAWING IS A CONTROLLED DOCUMENT.										DWN G. ENDRIZZI 23JUL1995	TE Connectivity					
DIMENSIONS: mm										CHK G. TURCO 23JUL1995						
										APVD G. TURCO 23JUL1995	NAME					
										PRODUCT SPEC 108-20065-1, 108-20065-2	MONO-SHAPE MK1 TAB CONNECTORS 2-10 POS.					
TOLERANCES UNLESS OTHERWISE SPECIFIED:										APPLICATION SPEC 114-20016, 114-20016-1	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO		
0 PLC ±: 1 PLC ±: 2 PLC ±: 3 PLC ±: 4 PLC ±: ANGLES ±										WEIGHT --	A2b0779		C=282002		-	
MATERIAL SEE TABLE										FINISH SEE TABLE	Customer Drawing			SCALE -	SHEET 4 OF 7	REV AB2

1471-9 (3/11)

NUMERO DI VIE	CONFIGURAZIONE (Vista connettore dall'alto) ①	TE PART NUMBER ASSY CONN.				POSIZIONE POLARIZ. (LATO POSTERIORE)	POSIZIONE AGGANCIO (LATO ANTERIORE)	POSIZIONE CODIFICA SPECIALE (LATO ANTERIORE)	L +0.2 L -0.3 (mm) ⑧	NOTE MARCHIATURA CON BANDA COLORATA	
		VERSIONE PEZZI IN VASSOIO	VERSIONE PEZZI SCIOLTI								
NO OF POS	CONFIGURATION (View from top side) ①	TRAY PACKAGING VERSION	PART REV	LOOSE PIECES PACKAGING VERSION	PART REV	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL COD. POSITION (FRONT SIDE)	L +0.2 L -0.3 (mm)	NOTE STRIP COLOUR	POSSIBLE RAST 5 POLARIZ. ⑩
10		1-282010-1	V	2-282010-1	V	6D	4-5	6S	49.9	-	-
10		0-284004-1	V	-	-	6D	4-5	6S	49.9	-	-
						8S	8-9				
						8S	8-9				

VISTE SOLO PER RIFERIMENTO
VIEWS ONLY FOR REFERENCE

LEGENDA
(DESCRIPTION)



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN G. ENDRIZZI 23JUL1995	 TE Connectivity							
DIMENSIONS: mm		CHK G. TURCO 23JUL1995								
	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH ±	APVD G. TURCO 23JUL1995	NAME MONO-SHAPE MK1 TAB CONNECTORS 2-10 POS. -							
		PRODUCT SPEC 108-20065-1, 108-20065-2								
		APPLICATION SPEC 114-20016, 114-20016-1	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO				
		MATERIAL SEE TABLE	SEE TABLE	WEIGHT -	A200779		C-282002	-		
Customer Drawing			SCALE	-	SHEET	5	OF	7	REV	AB2

4		3		2		1									
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION				LOC		DIST		REVISIONS					
© COPYRIGHT 2011		ALL RIGHTS RESERVED.				-		-		P	LTR	DESCRIPTION	DATE	DWN	APVD
												SEE SHEET 1			

PA GF, UL-VO GWEPT 750° C NO FLAME, NATURAL

		ON TRAY		LOOSE PIECES		SEE SHEET 1 FOR ADDITIONAL DETAILS AND NOTES						
No. of POS.	CONFIGURATION ONLY FOR REF	P/N ASS'Y	PART REV.	P/N ASS'Y	PART REV.	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL CODIFICAT. POSITION (FRONT SIDE)	L (mm)	COLOR CODE	POSSIBLE FAST POLARIZ.	
2		2293382-2	AA			1S 2D	1-2	-	9.9		02-B 02-E 02-F	
2		1-2293382-2	AA			1S 2D	1-2		9.9	GREEN	02-B 02-E 02-F	
2		2-2293382-2	AA			1D 2D	1-2	-	9.9			
2		3-2293382-2	AA			1D 2S	1-2	-	9.9	BLUE	02-A	
2		4-2293382-2	AA			1S 1D	1-2	-	9.9			
2		5-2293382-2	AA			1S 2D	1-2	-	9.9	GREY	02-B 02-E 02-F	
2		6-2293382-2	AA			1D 2S	1-2	-	9.9	-	02-A	
2		7-2293382-2	AB			2D	1-2	-	9.9	RED	02-L	
3		2293382-3	AA			2S	2-3	-	14.9			
3		1-2293382-3	AA			-	1-2	-	14.9	VIOLET	-	
3		2-2293382-3	AA			1D	1-2	-	14.9	ORANGE	03-A 03-I	
3		3-2293382-3	AA			1S 1D	1-2	-	14.9			
3		4-2293382-3	AA			1D 2S 2D 3S	1-2	-	14.9			
3		5-2293382-3	AA			1S 3D	2-3	-	14.9			
3		6-2293382-3	AA			1S 1D 2S 2D	1-2	-	14.9			
3		7-2293382-3	AA			1S 3D	1-2	-	14.9	GREEN	03-F	
3		8-2293382-3	AB			2D 3D	2-3	-	14.9			
4		2293382-4	AA			1D	1-2 3-4	2D	19.9	GREY	04-A	
4		1-2293382-4	AA			1S 4D	1-2 3-4	-	19.9			
4		2-2293382-4	AA			1D 2S	1-2 3-4	-	19.9			
4		3-2293382-4	AA			1D 2S 3S 4S	1-2 3-4	-	19.9			

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL
SEE TABLE

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC
1 PLC
2 PLC
3 PLC
4 PLC
ANGLES
FINISH

±
±
±
±
±
±

>0.3
±

SEE TABLE

DWN
G. ENDRIZZI
CHK
G. TURCO
APVD
G. TURCO

23JUL1995
23JUL1995
23JUL1995

PRODUCT SPEC
108-20065-1, 108-20065-2
APPLICATION SPEC
114-20016, 114-20016-1

WEIGHT
-

Customer Drawing

TE Connectivity

MONO-SHAPE MK1
TAB CONNECTORS 2-10 POS.

SIZE
A260779

CAGE CODE
C=282002

DRAWING NO
-

RESTRICTED TO
-

SCALE
-






SHEET
6

OF
7

REV
AB2

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			

PA GF, UL-V0 GWEPT 750° C NO FLAME, NATURAL

		ON TRAY		LOOSE PIECES		SEE SHEET 1 FOR ADDITIONAL DETAILS AND NOTES					
No. of POS.	CONFIGURATION ONLY FOR REF	P/N ASS'Y	PART REV.	P/N ASS'Y	PART REV.	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL CODIFICAT. POSITION (FRONT SIDE)	L (mm)	COLOR CODE	POSSIBLE RAST 5 POLARIZ. 
4		4-2293382-4	AA			1D	1-2 3-4	-	19.9		
4		5-2293382-4	AB			3D 	2-3	-	19.9	BLACK	04-D
5		2293382-5	AA			-	4-5	-	24.9		
5		1-2293382-5	AA			-	3-4	3S	24.9		
5		2-2293382-5	AA			1S 2D 4D 5D   	1-2 4-5	-	24.9		
	6	2293382-6	I			TBD	TBD	TBD	29.9		
	7	2293382-7	I			-	1-2 5-6	-	34.9		
	7	2-2293382-7	I			1S 2S 2D 3S 3D 4D 5S 6S 6D 7S 7D	1-2 5-6		34.9		
	8	2293382-8	I			TBD	TBD	TBD	39.9		
	9	2293382-9	I			TBD	TBD	TBD	44.9		
	10	1-2293382-0	I			6D 8S	4-5 8-9	6S	49.9		