






THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
AF	50	A	FIRST RELEASED	16AUG2019	WH DZ



NOTES:

- 1 MATERIAL:  
 HOUSING: NYLON 66, UL94V-0, COLOR NATURAL  
 TERMINAL: COPPER ALLOY, 2µm MIN TIN OVERALL
- 2 RECOMMENDED MATING PART: [J]-2323743-[]
- 3 COMPLY WITH GLOW WIRE REQUIREMENTS FOR PARTS OF NON-METALLIC MATERIAL SUPPORTING A CURRENT-CARRYING CONNECTION DETAILED IN IEC 60335-1, SECTION 30(GWT)



2-2323751-0 SHOWN


1.25	2	47.50	52.89	40	4-2323751-0
0.00	2	45.00	50.39	38	3-2323751-8
1.25	2	42.50	47.89	36	3-2323751-6
0.00	2	40.00	45.39	34	3-2323751-4
1.25	2	37.50	42.89	32	3-2323751-2
0.00	2	35.00	40.39	30	3-2323751-0
1.25	2	32.50	37.89	28	2-2323751-8
0.00	2	30.00	35.39	26	2-2323751-6
1.25	2	27.50	32.89	24	2-2323751-4
0.00	2	25.00	30.39	22	2-2323751-2
1.25	2	22.50	27.89	20	2-2323751-0
0.00	2	20.00	25.39	18	1-2323751-8
1.25	1	17.50	22.89	16	1-2323751-6
0.00	1	15.00	20.39	14	1-2323751-4
1.25	1	12.50	17.89	12	1-2323751-2
0.00	1	10.00	15.39	10	1-2323751-0
1.25	1	7.50	12.89	8	2323751-8
DIM "M"	NO. OF LATCH CUT-OUTS	DIM "F"	DIM "L"	NO. OF POSITIONS	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.


DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN 26AUG2018 WARREN HUO	TE Connectivity
	0 PLC ±	CHK 27AUG2018 DANIEL ZHANG	
	1 PLC ±	APVD 27AUG2018 DANIEL ZHANG	
	2 PLC ±0.25	NAME	
3 PLC ±	PRODUCT SPEC	108-106357	HEADER ASSEMBLY, EP2.5 DUAL ROW VERTICAL, WITHOUT BOSS, GWT
4 PLC ±	APPLICATION SPEC	114-13315	SIZE CAGE CODE DRAWING NO RESTRICTED TO
ANGLES ±5°	FINISH	WEIGHT	A200779 C-2323751
MATERIAL		CUSTOMER DRAWING	SCALE N/A SHEET 1 OF 2 REV A

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN	APVD	
AF	50	SEE SHEET 1	-	-	-	




SINGLE LATCH DETAIL FOR  
2323751-8 AND 1-2323751-0




SINGLE LATCH DETAIL FOR  
1-2323751-2 THRU 1-2323751-6



DUAL LATCH DETAIL FOR  
1-2323751-8 THRU 4-2323751-0



RECOMMENDED PCB LAYOUT  
TOLERANCE: ±0.05



KINKED PIN CHART

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN WARREN HUO 26AUG2018	TE Connectivity	
DIMENSIONS: mm		CHK DANIEL ZHANG 27AUG2018		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD DANIEL ZHANG 27AUG2018	NAME HEADER ASSEMBLY, EP2.5 DUAL ROW VERTICAL, WITHOUT BOSS, GWT	
0 PLC ± 1 PLC ± 2 PLC ±0.25 3 PLC ± 4 PLC ± ANGLES ±5° FINISH		PRODUCT SPEC 108-106357	SIZE A200779	
MATERIAL 1		APPLICATION SPEC 114-13315	DRAWING NO C-2323751	
		WEIGHT -	RESTRICTED TO -	
		CUSTOMER DRAWING	SCALE N/A SHEET 2 OF 2 REV A	

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-2323751-4](#)